

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/25/2017

1 Identification

Product Identifier

Trade name: Moxi Z System Check Beads

Product Number: MXA005

Relevant identified uses of the substance or mixture and uses advised against:

Product Description: System Check Beads for Use with Orflo Products.

Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier:
Orflo Technologies

P.O. Box 7438/260 Northwood Way, Ketchum, ID 83340

info@orflo.com 866-879-6694 www.orflo.com

Emergency telephone number:

208-928-6056

2 Hazard(s) Identification

Classification of the substance or mixture:

Mixture

Colorless; Clear; Liquid; Odorless

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

This product contains no hazardous constituents, or the concentration of all chemical constituents are below the regulatory threshold limits described by OSHA HazCom Standard 29 CFR 1910.1200 and the European Directive 91/112/EC.

Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

Label Elements

GHS label elements Non-Regulated Material Hazard pictograms: Non-Regulated Material Signal word: Non-Regulated Material Hazard Statements: Non-regulated Material

Classification system NFPA ratings (scale 0-4)



Health: 0 Flammability: 0 Reactivity: 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/Information on Ingredients

Non-hazardous components:

9003-70-7 Solid polymer microspheres composed of Polystyrene divinylbenze (<.006%)

7647-14-5 Sodium Chloride (NaCl) (0.8%) 7447-40-7 Potassium Chloride (KCl) (.04%) 7558-79-4 Sodium Phosphate dibasic (0.19%)

7732-18-5 Water (H₂O) (>90%)

0122-99-6 2-Phenoxyethanol (C₈H₁₀O₂) (<.35%)

Chemical characterization: Mixtures

Description: Mixure of substances below with non-hazardous additions.

Dangerous Components:



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/25/2017

026628228 Sodium azide (NaN₃) (0.045%)

007681494 Sodium Fluoride (Na(HF₂)) (<.07%)

Additional information: The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in

accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

Trade name: Moxi Z System Check Beads

4 First-Aid Measures

Description of first aid measures:

General information: No special measures required.

After inhalation: Remove to fresh air if effects occur. If invididual is not breathing, begin artificial respiration immediately and obtain

After skin contact: In case of contact, immediately wash skin with copious amounts of water for at least 15 minutes

After eye contact: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes with eyelids open.

After swallowing: Wash mouth out with water. If irritation or discomfort occurs, contact physician immediately. Most important symtoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed: No further relevant info available.

5 Fire-Fighting Measures

Flammable properties: Nonflammable, aqueous solution

Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture: No special hazards determined. Hazardous combustion: No combustion products posing significant hazards are expected.

Protective Equipment for Firefighters: Self-contained breathing apparatus is recommended in all chemical fire situations.

6 Accidental Release Measures

Personal precautions, protective equiptment and emergency procedures: Not required.

Environmental precautions:

Contain spill to prevent migrations

Methods and material for containment and cleaning up: No special measures required.

Reference to other sections:

See section 7 for information on safe handling.

See section 8 for information on personal protection equiptment.

See section 13 for disposal information.

7 Handling and Storage

Precautions for safe handling: No special measures required, however it is always good to protect skin and eyes by wearing suitable protective clothing, gloves and protective eyewear. Respiratory protection is not normally needed.

Information about protection against explosions and fires: No special measures required.

Conditions for sage storage, including any incompatibilities: None.

Storage

Requirements to be met by storerooms and receptacles: Store in closed container. Keep refrigerated 2-8°C.

Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Store in cool, dry conditions in well sealed containers.

Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

Additional information about design of technical systems: No further data, see section 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantites of materials with critical values that have to be monitored at the workplace. Additional information: The lists that were valid during the creation were used as basis.

Exposure Controls

Personal protective equiptment

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. Keep away from food, and beverages. Immediately remove all contaminated clothing and wash before reuse. Avoid contact with eyes and skin.

Breathing equiptment: Not required.

Protection of hands: Chemical resistant gloves (i.e. nitrile, or equivalent)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/25/2017

Eye protection: Safety glasses.

Body protection: Protective work clothing (lab coat).

Trade name: Moxi Z System Check Beads

9 Physical and Chemical Properties

Information on basic physical and chemical properties

General information

Apperance:
Form: Liquid
Color: Clear
Odor: Odorless

Odor threshold: Not determined.
Change in condtion: Not determined.

Melting point/Melting range: Not determined. Boiling point/boiling range: Not determined.

Flash point: Not determined.

Flammability (solid, gas): Not applicable.
Ignition temperature: Not determined.
Decomposition temperature: Not determined.
Auto igniting: Product is not self-igniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits: Not determined.
Vapor pressure @20C: Not determined.
Density @ 20C: Not determined.
Relative density: Not determined.
Evaportation rate: Not determined.
Soluability in water: Not determined.
Partition coefficient. Not determined.

Viscosity: Not determined.
Solvent content: Not determined.

Other information: No further relevant information available.

10 Stability and Reactivity

Reactivity: No dangerous reactions known.

Chemical stability: Stable under normal conditions for use and storage. See Section 7.

Thermal decomposition/conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known. Conditions to avoid: No further relevant information available.

Incompatible materials: Incompatible material: strong oxidizers such as lead, copper, gold, and silver.

Hazardous decomposition products: No dangerous decompositions known.

11 Toxicological Information

Information of toxilogical effects:

Acute toxicity:

Primary irritant effect:
On the skin:No irritating effect.
On the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information: The product is not subject to OSHA classification according to internally approved calculation methods for preparations. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Carcinogenic categories:

IARC (International Agency for Research on Cancer)

None of the ingredients listed.

NTP (National Toxicology Program)

None of the ingredients listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients listed.

12 Ecological Information



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 07/25/2017

Toxicity:

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Trade name: Moxi Z System Check Beads

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Ecotoxial effects

Other information: The ecological effects have not been thoroughly investigated, but currently none have been identified.

Additional ecological information:

General notes: Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or

sewage system.

Results of PBT and vPvB assessment:

PBT: Not applicable. vPvB: Not applicable.

Other adverse effects: No further relevant information available

13 Disposal Considerations

Waste treatment methods:

Recommendation:

Smaller quantites can be disposed of with solid waste. This product is not considered a RCRA hazardous waste. Dispose of material in accordance with federal (40 CRF Part 261.33), state, and local environmental regulations.

Uncleaned packagings

Recommendation: Disposal must be made according to federal and state regulations.

Recommended cleansing agent: water, if necessary with cleansing reagents.

14 Transportation information

UN-Number

Dot, ADR, AND, IMDG, IATA: Void

UN proper shipping name

Dot, ADR, AND, IMDG, IATA: Void

Transport hazard class(es)

Dot, ADR, AND, IMDG, IATA: Void

Class

Packaging group

Dot, ADR, AND, IMDG, IATA: Void

Environmental hazards:

Marine pollutant: No

Special precautions for user: Not applicable.
Tranport in bulk according to Annex II of
MARPOL73/78 and the IBC Code: Not applicable.
UN "Model Regulation": Not applicable.

15 Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

SARA Section 313 (specific toxic chemical listings)

None of the ingredients is listed.

TSCA (Toxic Substances Control Act)

7732-18-5 water

CERCLA RG's, 40 CFR 302.4: Sodium Phospate, Dibasic is listed. Sodium Fluoride is listed.

Massachusetts MSL: Sodium Phospate, Dibasic is listed. Sodium Fluoride is listed.

New Jersey Dept of Health RTK List: Sodium Phospate, Dibasic is listed. Sodium Fluoride is listed. Diethylene Glycol Phenyl Ether is listed. 2-Phenoxyethanol is listed.

Pennsylvania RTK: Sodium Phospate, Dibasic is listed. Sodium Fluoride is listed. Diethylene Glycol Phenyl Ether is listed. 20 Phenoxyethanol is listed.

California Proposition 65 - Chemicals known to cause cancer

None of the ingredients is listed.

CANADA:

Ingredients on disclosure list: Sodium, Diethylene Glycol Phenyl Ether, 2-Phenoxyethanol.

Ingredients with unknown Toxicological Properties: None

Chemicals known to cause reproductive toxicity for females:



OSHA HazCom Standard 29 CFR 1910.1200(q) and GHS Rev 03.

Issue date 07/25/2017

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed. GHS label elements Void Hazard pictograms Void

Signal word Void Hazard statements Void

Trade Name: Moxi Z System Check Beads

National regulations

Water hazard class: Generally not hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

ORFLO Technologies provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose.

ORFLO Technologies makes no representations or warranties, either expressed or implied, of merchantability or fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, ORFLO Technologies will not be responsible for damages resulting from the use of or reliance upon this information.

Trade name: Moxi Z System Check Beads

Contact: Technical Service Representative

Date of preparation / last revision: 11/20/2018 / -

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Ox. Liq. 1: Oxidizing liquids – Category 1

Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1A: Skin corrosion/irritation – Category Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1